



CERTIFICATE OF ANALYSIS

SILLIKER, Inc.

Crete, IL Laboratory

3600 Eagle Nest Drive, North Building, Crete, IL 60417

Tel. 888-314-0779 Fax. 312-729-1320

Email: getresults-core@mxns.com

COA No:	CHG-48125953-0
Supersedes:	None
COA Date	4/19/24
Page 1 of 2	

TO:

Solutions For Better Health, LLC  
4737 N Ocean Dr #227  
Ft Lauderdale, FL 33308

Received From:	Ft Lauderdale, FL
Received Date:	4/9/24
P.O.# / ID:	DGB202401
Location of Test: (except where noted)	Crete, IL

Analytical Results

Laboratory ID: 434462662 Condition Rec'd: NORMAL Temp Rec'd (°C): 20  
Sample Name: 227g Daily Green Boost Lot# 92542 Exp 12/2025

Analyte	Result	Units	Method Reference	Test Date	Loc.
* ICP MS Full Mineral Screen			AOAC2015.01Mod<2232>	4/19/24	
Aluminum	16.5	ppm (w/w)			
Antimony	<0.01	ppm (w/w)			
Arsenic	1.72	ppm (w/w)			
Barium	5.21	ppm (w/w)			
Beryllium	<0.01	ppm (w/w)			
Bismuth	<0.02	ppm (w/w)			
Boron	45.2	ppm (w/w)			
Cadmium	0.054	ppm (w/w)			
Calcium	3840	ppm (w/w)			
Chromium	0.63	ppm (w/w)			
Cobalt	0.03	ppm (w/w)			
Copper	10.6	ppm (w/w)			
Iron	84.9	ppm (w/w)			
Lead	0.02	ppm (w/w)			
Lithium	3.9	ppm (w/w)			
Magnesium	3240	ppm (w/w)			
Manganese	44.3	ppm (w/w)			
Mercury	0.005	ppm (w/w)			
Molybdenum	4.50	ppm (w/w)			
Nickel	0.47	ppm (w/w)			
Phosphorus	5440	ppm (w/w)			
Potassium	59600	ppm (w/w)			
Selenium	0.1	ppm (w/w)			
Silver	<0.02	ppm (w/w)			
Sodium	14600	ppm (w/w)			
Strontium	38.4	ppm (w/w)			

Results reported herein are provided "as is" and, unless otherwise indicated, are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. These results are intended for use by persons having professional skill and training in the interpretation of testing results. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results. If statements of conformity to client provided or regulatory specifications are made in this report, measurement of uncertainty has not been taken into account, except when requested by the client. While Mérieux NutriSciences reviews all results exceeding client specifications, the client is responsible for the compliance of its product and determining whether the results meet acceptance or other criteria. To the extent practicable, your company will give notice to, and consult with, Mérieux NutriSciences prior to implementing a withdrawal or recall of products based on any testing results. Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Services apply.



CERTIFICATE OF ANALYSIS

SILLIKER, Inc.

Crete, IL Laboratory

3600 Eagle Nest Drive, North Building, Crete, IL 60417

Tel. 888-314-0779 Fax. 312-729-1320

Email: getresults-core@mxns.com

COA No:	CHG-48125953-0
Supersedes:	None
COA Date	4/19/24
Page 2 of 2	

TO:

Received From:	Ft Lauderdale, FL
Received Date:	4/9/24
P.O.# / ID:	DGB202401
Location of Test: (except where noted) Crete, IL	

Solutions For Better Health, LLC  
4737 N Ocean Dr #227  
Ft Lauderdale, FL 33308

Analytical Results

Laboratory ID: 434462662 Condition Rec'd: NORMAL Temp Rec'd (°C): 20  
Sample Name: 227g Daily Green Boost Lot# 92542 Exp 12/2025

Analyte	Result	Units	Method Reference	Test Date	Loc.
Thallium	<0.01	ppm (w/w)			
Thorium	<0.1	ppm (w/w)			
Tin	0.01	ppm (w/w)			
Titanium	6.86	ppm (w/w)			
Uranium	0.02	ppm (w/w)			
Vanadium	0.07	ppm (w/w)			
Zinc	25.1	ppm (w/w)			
Zirconium	<0.1	ppm (w/w)			

Sarah O'Brien

Laboratory Director

I Customer supplied information \* ISO17025 Accredited Analysis † Indicates reason for COA amendment when applicable

Results reported herein are provided "as is" and, unless otherwise indicated, are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. These results are intended for use by persons having professional skill and training in the interpretation of testing results. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results. If statements of conformity to client provided or regulatory specifications are made in this report, measurement of uncertainty has not been taken into account, except when requested by the client. While Mérieux NutriSciences reviews all results exceeding client specifications, the client is responsible for the compliance of its product and determining whether the results meet acceptance or other criteria. To the extent practicable, your company will give notice to, and consult with, Mérieux NutriSciences prior to implementing a withdrawal or recall of products based on any testing results. Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Services apply.